

Issues of Co-ordinate Collection Technologies for Rural Property Boundary Surveys in Queensland

by

ROBERT MATTHEW WEBB

Bachelor of Applied Science (Surveying) 1989

Diploma of Electronics 1992

A THESIS

submitted in partial fulfilment of the requirements for the degree of

Master of Applied Science (Research)

Centre for Built Environment and Engineering Research

Faculty of Built Environment and Engineering

Queensland University of Technology

2005

Issues of Co-ordinate Collection Technologies for Rural
Cadastral Surveys in Queensland

Webb, Robert Matthew
Queensland University of Technology

Key Words: global positioning system, GPS, cadastral surveying and mapping,
traceability of measurements, measurement based spatial information systems.

**TITLE: Issues of Co-ordinate Collection Technologies
for Rural Property Boundary Surveys in Queensland**

Author: **ROBERT MATTHEW WEBB**

Bachelor of Applied Science (Surveying) 1989

Diploma of Electronics 1992

A THESIS

submitted in partial fulfilment of the requirements for the degree of

Master of Applied Science (Research)

Centre for Built Environment and Engineering Research

Faculty of Built Environment and Engineering

Queensland University of Technology

Advisory Committee:

Principal Supervisor: Dr John Hayes

Associate Supervisor: Mr Murray Harris

Abstract of the Thesis

Issues of Co-ordinate Collection Technologies for Rural Property Boundary Surveys in Queensland

Master of Applied Science (Research)

The use of co-ordinates as a description of land boundaries and their limitations has been investigated given recent advances in GPS measurement technology and its proliferation in the surveying and mapping industry. While the use of coordinate information is in essence a representation of reality at a given point in time, it is shown that they can be used within a well-defined framework for summary purposes.

The conceptual and operational elements of a measurement-based spatial information system are developed in order to determine if it could aid in the organisation of land boundary information. The fundamental concepts of this information system are that measurements are the primary carriers of metric information. The investigation reveals that measurement-based concepts can serve as the foundation of a multi-purpose spatial information system. Increasing instrument precisions available to surveyors are providing quality measurements with decreasing uncertainties from standard daily operations. Much of this measurement information is in digital form and can provide useful additions of new information as and when they become available to the system. Control measurements are integrated into the system in the same manner as cadastral measurements. The addition of measurements increases the accuracy of the information system over time.

The concept of a local controlled area and surface movement indicators are briefly covered relating to geo-movements of cadastral evidence. Some issues surrounding the historical foundations of geodetic datums are studied as they provides a basis of knowledge of where future spatial information developments may occur given current understandings and technological ability. A review of International and Australian measurement systems is presented. In this context, issues surrounding GPS traceability are explored as a means of demonstrating conformance with suitably recognised quantities of length and time. Discussion is held on the legal acceptance of measurements and reviews rules of evidence questioning the term geographical position used in Australian courts.

An investigative study into rural property boundary surveys for subdivision purposes has been undertaken to provide comparative discussion on issues of changing methods and evolving technology approaches to the measurement challenges using GPS techniques.

TABLE OF CONTENTS

Thesis Title.....	i
Thesis Abstract.....	iv
Table of Contents.....	v
List of Figures.....	viii
List of Tables.....	x
List of Abbreviations.....	xi
Declaration by the Candidate.....	xiv
Acknowledgments	xv

1. INTRODUCTION

1.1 Introduction and Overview	1
1.2 Problem Statement and Motivation	3
1.3 Aims and Research Objective	8
1.4 Thesis Contributions	11
1.5 Organisation of Thesis	12

2. BACKGROUND ASPECTS TO BOUNDARY SURVEYING

2.1 Introduction	17
2.2 Cadastral Communication.....	19
2.2.1 Communication Theory.....	25
2.2.2 Need for Redundancy.....	28
2.3 Interpretation of Cadastral Information.....	31
2.3.1 Notion of Best Evidence.....	33
2.3.2 Issues of Integrity.....	38
2.4 Cadastral Survey Legislation and Measurements.....	43
2.5 Changing Nature of Datums.....	51
2.5.1 Early Design of National Geodetic Networks.....	53
2.6 Description and Limitations of Coordinate Based Positions.....	60
2.7 Issues of Spatial Information Systems.....	64
2.8 Summary.....	68

3. CONCEPTS OF MEASUREMENT-BASED SPATIAL INFORMATION SYSTEM FOR A FUTURE QUEENSLAND CADASTRE

3.1 Introduction	69
3.2 Definitions of Measurement Based Systems	71
3.2.1 Context of a "System"	71
3.2.2 Management Control and Performance.....	74
3.2.3 Measures of System Improvements.....	79

3.3 Concept of a Measurement Based Cadastral System.....	84
3.3.1 Notions of a Measurement Based Spatial Information System.....	86
3.3.2 Measurements are First Class Objects	87
3.3.3 Storage of Measurements	88
3.3.4 Processing of Measurements	91
3.3.5 Local Adjustment of Measurements	93
3.3.6 Maintenance Updates of Measurement Databases	95
3.3.7 Storage of Co-ordinates for Efficiency Reasons	96
3.3.8 Gradual Data Collection.....	97
3.3.9 Increase in Spatial Accuracy over Time.....	100
3.3.10 Change in Co-ordinate and Derived Metric Values...	102
3.3.11 Data Quality Assessment.....	103
3.3.12 Differentiation between Legal and Non-Legal Metric Values.....	105
3.3.13 Digitised Photogrammetric Co-ordinates and Ambulatory Boundaries.....	106
3.4 MBSIS Information Integration.....	109
3.5 Summary	118

4. SURVEY CONTROL FRAMEWORKS AND INFRASTRUCTURE

4.1 Introduction	120
4.2 Geodetic Positioning.....	122
4.3 National Geodetic Framework.....	126
4.3.1 International Compatibilities.....	131
4.4 Datums - Static or Dynamic?	133
4.4.1 Limits of Model Precision.....	143
4.5 Indicators of Surface Movements.....	149
4.6 Concept of Local Controlled Areas (LCA).....	154
4.7 Summary.....	165

5. GPS MEASUREMENT TECHNOLOGY ISSUES

5.1 Introduction.....	167
5.2 Australian and International Framework relating to Measurement	169
5.2.1 International Measurement System	171
5.2.2 Australian Framework Relating to Measurement	174
5.3 Calibration and Traceability discussion associated with GPS derived Measurements	179
5.4 Timing Issues associated with GPS Instrumentation	188

5.5 Legal Acceptance of Measurements.....	196
5.5.1 Rules of Evidence	197
5.5.2 Notion of a Presumption of Accuracy	199
5.5.3 Appeal of Evidence relating to Geographical Position..	202
5.5.4 Discussion	207
5.6 Summary	209

6. CONCLUSIONS AND FUTURE DIRECTIONS

6.1 Conclusions and Recommendations	211
6.2 Open questions for future research.....	216

Appendix A INVESTIGATIVE STUDY: RURAL CADASTRAL SUBDIVISION BY GPS TECHNIQUES

A.1 Introduction	218
A.2 Rural Subdivision by Geodetic GPS Project Overview	219
A.3 GPS Measurement Approach	222
A.4 Discussion on Method Analysis	224
A.5 Comparison of Approaches – Then and Now.....	231
A.6 Summary.....	237

BIBLIOGRAPHY.....	239
LEGAL CASES CITED	266

LIST OF FIGURES

Figure 1.1 Concept map of this thesis.....	13
Figure 2.1 Shannon Weaver model of a general communication system..	25
Figure 2.2 More sophisticated model of the communication process applied to interpersonal communication.....	26
Figure 2.3 National Geodetic Surveys 1945.....	54
Figure 2.4 Geodetic Control Surveys 1975.....	55
Figure 2.5 Geodetic Control Surveys in Qld 1975	56
Figure 2.6 100km Geodetic Infrastructure Network over Queensland 1999	59
Figure 3.1 Processing of boundary measurements	87
Figure 3.2 Entity-Relationship schema of linkages between elements.....	89
Figure 3.3 Graphic representation of cadastral error ellipses after adjustment, sample Linthorpe Valley DCDB.....	99
Figure 3.4 Enlargement demonstration of cadastral corners requiring corrective re-measurement action.....	100
Figure 3.5 Sample graph of performance indicator: improvement in relative accuracy in rural boundary locations for a district ...	101
Figure 3.6 Graphical accuracy of parcel boundaries	105
Figure 3.7 Cadastral data cycle for both current and proposed scheme.....	114
Figure 3.8 Conceptual relationship between survey measurements and co-ordinates	116
Figure 4.1 Sample geometry of rural cadastral survey using traditional total station techniques	124
Figure 4.2 Sample geometry of rural survey using modern RTK-GPS techniques	125
Figure 4.3 Townsville ARGN Coordinate Time Series Graph January 1998 to March 2002	146
Figure 4.4 The author undertaking geodetic control survey – Karangi Dam, NSW	147
Figure 4.5 Australian Regional Earthquake Hazard Map	149
Figure 4.6 Queensland Earthquake map indicating events larger than Richter magnitude 2.0	151
Figure 4.7 Hierarchy of models in geodetic deformation analysis	157
Figure 4.8 Optimised Monitoring Network B based on 13 LCA	162
Figure 4.9 Model of 200km usability zones from 13 monitoring sites	163

Figure 5.1 Australia's hierarchy of physical units and standards.....	176
Figure 5.2 The author undertaking geodetic GPS measurements for length comparison purposes at Coombabah EDM baseline range....	183
Figure 5.3 A potential model developed by Boey (1999) of traceability of GPST measurements	192
Figure 5.4 Direct spatial connection to the Zero-order AFN.....	194
Figure A.1 The author undertaking a cadastral connection experiment to nearby geodetic control	219
Figure A.2 Cunnamulla rural survey study area	220
Figure A.3 Extract of Geodata Raster 250K Topographic Map over the Cunnamulla project study area.....	221
Figure A.4 Cunnamulla pre-subdivision and proposed boundary geometry..	224
Figure A.5 Diagram of non-recommended single-radiation GPS Method.....	225
Figure A.6 Sample R.P. from Blackall project noting the comments of measurement technique.....	228

LIST OF TABLES

Table 2.1 Differences between Aboriginal land tenure systems and the Australian cadastral system.....	21
Table 2.2 Cook's (2003) matrix of communication methods and effects on organisation.....	24
Table 2.3 Effects of deterioration and loss of integrity of survey monuments.....	39
Table 2.4 Boey's (1999) summary of survey legislation and complementary publications in Australia.....	44
Table 2.5 Boey's (1999) summary of survey statutory requirements by jurisdictions.....	46
Table 2.6 Boey's (1999) summary of accuracy standards in Australian States.....	48
Table 2.7 Boey's (1999) summary of calibration and standardisation requirements in Australia.....	50
Table 3.1 Cook's (1993) accountability regimes for cadastral control and cadastral surveying.....	82
Table 3.2 Levels of Maturity for Cadastral Representations in Qld.....	113
Table 4.1 Hierarchy of Internationally recognised reference systems applicable to Australia.....	132
Table 4.2 Derived summary details for selected continuous GPS monitoring stations in Australia.....	145
Table 4.3 LCA Placement within hierarchical reference frameworks.....	159
Table 5.1 Recommended performance and assessment summary functions for testing static GPS survey networks.....	182
Table 5.2 Summary of time and frequency links used to establish traceability to UTC.....	189

LIST OF ABBREVIATIONS

AFN	Australian Fiducial Network
AGCC	Australian Global Navigation Satellite System Coordination Committee
AGD66	Australian Geodetic Datum 1966
AGD84	Australian Geodetic Datum 1984
AGSO	Australian Geological Survey Organisation
AHD	Australian Height Datum at 1971
ALS	Airborne Laser Scanning
ANN	Australian National Network
ANS	Australian National Spheroid
AMG66	Australian Map Grid 1966
AMG84	Australian Map Grid 1984
AMIS	Asset Management Information System
ARGN	Australian Regional GPS Network
ASDI	Australian Spatial Data Infrastructure
AUSLIG	Australian Surveying and Land Information Group
BBS	Computer Bulletin Board Service
BIML	International Bureau of Legal Metrology (<i>Bureau International de Metrologie Legale</i> , BIML)
BIPM	Bureau International des Poids et Mesures (BIPM)
BS	Integrity Monitoring Network Base System (Base Station)
C/A code	Clear Access Code or Coarse Acquisition Code
CCTF	Consultative Committee for Time and Frequency (BIPM)
CORS	Continuously Operating Reference Station
CPD	Continuing Professional Development
CRS	Celestial Reference System
CRTP	Commercial Receiver Test Program
DCDB	Digital Cadastral Data Base
DNR	Department of Natural Resources Qld Australia
DoD	Department of Defence (U.S.)
DOP	Dilution of Precision
DORIS	Doppler Orbitography and Radio positioning Integrated by Satellite
DOTARS	Commonwealth Department of Transport and Regional Services
EDM	Electronic Distance Measurement
FIG	International Federation of Surveyors
FGCS	Federal Geodetic Control Subcommittee (USA)
FSV	Fast Static Vector

GDA94	Geocentric Datum of Australia at 1994
GDOP	Geometric Dilution of Precision
GIS	Geographic Information System
GLONASS	Global Orbiting Navigation Satellite System
GNSS	Global Navigation Satellite System
GP	General Practitioner (medical)
GPS	Global Positioning System
GRS80	Geodetic Reference system 1980
IAG	International Astronomical Union
IAU	International Astronomical Union
ICAO	International Civil Aviation Authority
ICRF	International Celestial Reference Frame
ICRS	International Celestial Reference System
ICSM	Intergovernmental Committee on Surveying and Mapping
ICSU	International Council for Science Union
IERS	International Earth Rotation Service
IGS	International GPS for Geodynamics Service
ILAC	International Laboratory Accreditation Cooperation
IPS	Ionospheric Prediction Service
ISO	International Standards Organisation
ITRF	International Terrestrial Reference Frame
ITRS	International Terrestrial Reference System
IUGG	International Union of Geodesy and Geophysics
LCA	Local Controlled Area
LIS	Land Information System
LLR	Lunar Laser Ranging
LOTS	Land Ownership & Tenure System (South Australia)
LRIS	Land Registration & Information Services (Canada)
LWG	Legal Working Group of AGCC
MBLIS	Measurement Based Land Information System
MBSIS	Measurement Based Spatial Information System
Met	Meteorological Observation
MGA94	Map Grid of Australia 1994
MRA	Mutual Recognition Arrangement derived from BIPM
MSL	Mean Sea Level
NAVSTAR	Navigation Satellite Timing and Ranging
NATA	National Association of Testing Authorities, Australia
NBS	National Bureau of Standards (USA)

NIMA	National Image Mapping Agency (formally US Department of Mapping (DMA))
NMI	National Metrology Institutes
NML	CSIRO National Measurement Laboratory
NR&M	Queensland Department of Natural Resources & Mines.
NZGD49	New Zealand Geodetic Datum 1949
OIML	International Organisation for Legal Metrology
OTF	On The Fly (GPS ambiguity resolution)
P code	Precision or Private Code for GPS
PDOP	Position Dilution of Precision
PPM	Parts Per Million
QA	Quality Assurance
QLIC	Qld Land Information Council
QSIIC	Qld Spatial Information Infrastructure Council
RINEX	Receiver Independent Exchange Format
RMS	Root Mean Squared
RTK	Real Time Kinematic
SCIGN	Southern California Integrated GPS Network
SCDB	Survey Control Data Base (NR&M Queensland)
SDI	Spatial Data Infrastructure
SI	International System of Units (Système International)
SIS	Spatial Information System
SLR	Satellite Laser Ranging
SNR	Signal to Noise Ratio
SP1	Standards and Specifications for Control Surveys, Special Pub. No. 1
TQM	Total Quality Management
TSB	Territorial Sea Baseline
UHF	Ultra High Frequency (radio communication)
UN	United Nations
UNCLOS	United Nations Convention on Law Of the Sea
US DoD	United States Department of Defence
UTC	Universal Time Coordinated.
VCV	Variance-CoVariance
VHF	Very High Frequency (radio communication)
VLBI	Very Long Baseline Interferometry
VRS	Virtual Reference System
WAAS	Wide Area Augmentation System
WGS84	World Geodetic System 1984

DECLARATION BY THE CANDIDATE

Statement of Original Authorship

The work contained in this thesis has not been previously submitted for a degree or diploma at any other higher education institution. To the best of my knowledge and belief, the thesis contains no material previously published or written by another person except where due reference is made.

Signed:

Date:

ACKNOWLEDGEMENTS

Writing a thesis is an intense, solitary endeavour. Many people and organisations have contributed to its creation and production for which I am very grateful to all of them. A few of them, however, deserve to be specially mentioned.

I would like to express my deep appreciation to my principal research adviser Dr. John Cook for his overall guidance, encouragement, patience, reflective feedback and support throughout my years of study. I must also extend my gratitude to other thesis supervisors who have assisted in guiding this research. In chronological order these include the following QUT academic staff: Associate Professor Brian Hannigan, Dr John Cook, Dr Susan Buzer, Dr John Hayes and Mr Murray Harris for the many hours spent discussing various directions, reviews, options and concepts contained herein.

This thesis has taken various pathways of discovery during its production. Life-changing events and mobility issues have impacted upon the timely conclusion of its production. In addition, I would like to thank the persons of the School of Planning, Landscape Architecture and Surveying (now part of the School of Urban Development), Faculty of Built Environment and Engineering for their guidance, patience and assistance throughout my time at Queensland University of Technology.